**8**N



JMS-SE Non-Isolated *Low Profile* Programmable 2-wire Transmitter for RTD and T/C



8N is a basic, non-isolated, easy-to-use 2-wire transmitter for in-head mounting in DIN B and similar heads.

Reduced height simplifies mounting in low connection heads.

Configuration is made in seconds with the user friendly Windows software, MINIPAQ Soft. No external power is needed.

8N is programmable for RTD's in 3- and 4-wire connection as well as for 11 T/C types.

Useful error correction functions improve the accuracy.

# Measurements with RTD's in 3- and 4-wire connection

8N accepts inputs from a number of standardized RTD's such as Pt100, Pt500 and Pt1000 acc. to IEC 60751 ( $\alpha$ =0.00385), Pt100 acc. to JIS C 1604 ( $\alpha$ =0.003916) and US standards ( $\alpha$ =0.003902), Ni100 and Ni1000 acc. to DIN 43760 as well as Ni120 and Cu10 acc. to Edison curves. 3- and 4-wire connection can be selected.

### **Measurements with Thermocouples**

8N accepts inputs from 11 types of standardized Thermocouples.

For T/C input, the CJC (Cold Junction Compensation) is fully automatic, by means of an accurate measurement of the terminal temperature. Alternatively, the CJC can be disabled.

#### **Temperature linear output**

Fully temperature linear 4-20 mA output for RTD's and Thermocouples.

### **Designed for harsh conditions**

Rugged design tested for 10 g vibrations.

#### **NAMUR compliant**

Output limitations and fail currents according to NAMUR recommendations.

# Sensor matching and error corrections for maximum accuracy

A matching to a calibrated temperature sensor can easily be performed with the *Sensor Error Compensation* function. The *System Error Compensation* is a convenient way to adjust the sensor/transmitter combination (or just the transmitter) for highest accuracy in a certain measuring range.

#### Mounting, wiring and testing

8N is designed to ft inside connection heads type DIN B or larger. The large center hole, dia. 7 mm / 0.28 inch, the robust terminals with test connections and the low hight greatly simplify the mounting, wiring and testing procedure.

#### Configuration without external power

Edit or read the confguration off-line by just connecting to the USB port of a PC.

### Easy-to-use Windows configuration software

The simple and user friendly software is used for transmitter configuation in seconds. In one window all parameters are set, such as sensor type, measuring range, flter activation, CJC, sensor failure action, error corrections etc.



<u>JMS Southeast, Inc.</u> 105 Temperature Lane Statesville, NC 28677

Phone: 1-800-873-1835 Fax: 704-878-6166 Email: <u>sensors@jms-se.com</u> Website: <u>www.jms-se.com</u>

### **JMS-SE 8N Non-Isolated Transmitter Specifications**

Input RTD		
Pt100 (IEC 60751, α = 0.00385)	3-, 4-wire connection	-200 to + 1000 °C / -328 to + 1832 °F
Pt 100 (JIS C 1604, α = 0.003916)	3-, 4-wire connection	-200 to + 1000 °C / -328 to + 1832 °F
Pt 100 (US, α = 0.003902)	3-, 4-wire connection	-200 to + 1000 °C / -328 to + 1832 °F
Pt1000 (IEC 60751, α = 0.00385)	3-, 4-wire connection	-200 to + 200 °C / -328 to + 392 °F
Ni100 (DIN 43760)	3-, 4-wire connection	-60 to + 250 °C / -76 to + 482 °F
Ni1000 (DIN 43760)	3-, 4-wire connection	-100 to + 150 °C / -148 to + 302 °F
PtX (IEC 60751, α = 0.00385)	3-, 4-wire connection	Any Pt function between Pt10- Pt1000
Ni120 (Edison No.7)	3-, 4-wire connection	-70 to + 300 °C / -94 to + 572 °F
Cu10 (Edison No.15)	3-, 4-wire connection	-200 to + 260 °C / -328 to + 500 °F
Sensor current		~ 0.4 mA
Maximum sensor wire resistance		25 Ω/wire
Input Thermocouples		
Range	Type: B, C, E, J, K, L, N, R, S, T, U	Acc. to T/C standards
Maximum sensor wire resistance		500 Ω (total loop)
Monitoring		
Sensor failure monitoring		Upscale or downscale action
Adjustments		
Zero adjustment	All inputs	Any value within range limits
Minimum spans	Pt and Ni input	10 °C / 18 °F
-	Cu10	100 °C / 180 °F
	T/C	2 mV
Output		
Analog		4-20 mA, temperature linear
Resolution		5 μΑ
Minimum output signal	Measurement/Failure	3.8 mA / 3.5 mA
Maximum output signal	Measurement/Failure	20.5 mA / 21.6 mA
Permissible load, see load diagram	l	725 Ω @ 24 VDC
Temperature		
Ambient, storage and operation		-40 to + 85 °C / -40 to + 185 °F
General data		
Selectable dampening time		~ 2 s
Update time		~ 1.5 s
Isolation In - Out		Non-isolated
Humidity		0 to 100 %RH
Vibration		Acc. to IEC 60068-2-6, test Fc, 60-500 Hz, 10 g
Power supply, polarity protected		
Supply voltage		8 to 32 VDC
Permissible ripple		4 V p-p @ 50/60 Hz
Accuracy		· · ·
Linearity	RTD	±0.1 % <sup>1]</sup>
	T/C	±0.2 % <sup>1</sup>
Calibration	RTD	Max. of ±0.2 °C/ ±0.4 °F or ±0.1 % <sup>1)</sup>
	T/C	Max. of ±20 μV or ±0.1 % <sup>1)</sup>
Cold Junction Compensation (CJC)	T/C	±0.5 °C / ±0.9 °F
Temperature influence <sup>3]</sup>	All inputs	Max. of ±0.25 °C/25 °C or ±0.25%/25 °C <sup>1] 2]</sup>
-		Max. of ±0.5 °F/50 °F or ±0.28%/50 °F <sup>1) 2)</sup>
Temperature influence CJC <sup>3)</sup>	T/C	±0.5 °C/25 °C / ±1.0 °F/50 °F
RFI influence, 0.15 to 1000 MHz, 10	V or V/m	±0.5% <sup>11</sup> (typical)
Long-term stability		±0.2 % <sup>11</sup> /year
Housing		
Material, Flammability (UL)		PC/ABS + PA, VO
Mounting		DIN B-head or larger, DIN rail (with mounting kit)
Connection	Single/stranded wires	Max. 1.5 mm², AWG 16
Weight		32 g
Protection, housing / terminals		

<sup>1)</sup> Of input span <sup>3)</sup> Reference temperature 20 °C / 68 °F

<sup>2)</sup> If zero-deflection > 100% of input span: add 0.125% of input span/25 °C or 0.14% of input span/50 °F per 100% zero-deflection

### Input connections



**Dimensions** 

### **Output load diagram**



44.5/1

### **Output connections**



All information subject to change without notice.

## NON-ISOLATED TRANSMITTERS

The series N transmitter is a non-isolated 2 wire temperature transmitter. The transmitters are completely potted in a special epoxy with only the screw terminals exposed. **Specification of two wire non-isolated transmitters are as follows:** 



## **Block Diagrams and Terminal Connections**



### Series: 8N

Wiring: For a thermocouple input, the first two terminals looking at the transmitter from the front, are for the (+) and (-) output signal. The thermocouple shield, if used, should be connected to the third terminal from the left. The (-) negative thermocouple lead (usually red), should be connected into the fourth terminal. The (+) positive thermocouple lead should be connected to the fifth terminal. This transmitter is not recommended for grounded thermocouples.

### Series: 8N

For an RTD input, the power supply and output are connected on terminals one and two as described above. The negative/common leads (red) should be connected to terminals 2 and 3. The positive (white) lead should be connected to terminal 1.

